



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/643,220	08/19/2003	Kiyotaka Ohara	116382	3455
25944 7	7590 11/02/2005		EXAMINER	
OLIFF & BERRIDGE, PLC			DEBROW, JAMES J	
P.O. BOX 19928 ALEXANDRIA, VA 22320		ART UNIT	PAPER NUMBER	
			2176	
			DATE MAILED: 11/02/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·		Application No.	Applicant(s)		
Office Action Summary		10/643,220	OHARA, KIYOTAKA		
		Examiner	Art Unit		
		James J. Debrow	2176		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.1: SIX (6) MONTHS from the mailing date of this communication of period for reply is specified above, the maximum statutory period or to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1)⊠	Responsive to communication(s) filed on 19Au	<u>1g2003</u> .			
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.				
3)	- '				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	ion of Claims		•		
5)□ 6)⊠ 7)□	Claim(s) 1-21 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-21 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.			
Applicati	ion Papers				
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 8/19/2003 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	accepted or b) objected to by t drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority ı	under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachmen		-			
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	ate		
3) 🛛 Infor	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date <u>25Jun04 & 6Jul05</u> .	5) ☐ Notice of Informal P 6) ☐ Other:	atent Application (PTO-152)		

DETAILED ACTION

- 1. This action is responsive to communications: Application filed on 19 Aug 2003.
- 2. Claims 1-21 are pending in this case. Claims 1, 8, 15-21 are independent claims.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-4, 8-11, and 15-21 are rejected under 35 U.S.C. 102(e) as being anticipated by Shima (US 6,362,894 B1; Date of Patent: Mar. 26, 2002; Effective Filing date Nov. 25, 1998) ('Shima-894').

With regards to independent claims 1, 8, 15-21, Shima-894 discloses a printing system for printing over a network. The system consists of a file *server*, which is connected to the Internet via a router, and stores various information resources (*location data*) (column 5, lines 15-17; 103 in Fig 1). For example, a webpage can be stored on the server. Not only is the webpage stored on the server, it's URL (*location data*) is also stored on the server. Having the URL stored on the server, gives the system quick access to the specific webpage when trying to access it per user request;

Art Unit: 2176

a network printer for printing out the obtained print data. As with the current invention, Shima-894 network printer contains a Receive Control Section (location data request and receiving system) for receiving location data that is downloaded from the server, a Memory (data storage) for storing data downloaded from the server, and a Printing Control Section (printing device) for printing the data downloaded from the server (column 5, lines 37-38; column 5, lines 62-64; column 5, lines 51-52; 11 in Fig 1; 13 in Fig 1: 14 in Fig 1: 16 in Fig 1). From the webpage example, the webpage's URL (location data) is stored in a URL storage subsection (column 6, lines 43-44; 20 in Fig 1) of the storage section (print data) of the printer (19 in Fig 1). The printer requests (locating data requesting system) the server to transfer information according to the determined format, ie TXT, HTML, JPEG, etc. (location data of the print data based on the data stored in said data storage). After the server generates the location data of the print data (this would inherently happen after the server locates the requested webpage), it transfers (data transmitting system) the required information to the printer. Once the printer receives the information, it generates print image data and prints the document (column 6, lines 33-36). The printer is capable of accessing information resources without using the host computer (column 2, lines 41-44; column 7, lines 28-29; 2 in Fig 1); a computer accessible recording medium that contains a printing control program for receiving and printing information resources on the network. The program enables the host computer means for performing all aforementioned functions as if it were operating as the file server or the network printer (column 4, lines 16-32). As in the

Art Unit: 2176

current invention, Shima-894 system components (server, printer, and computer) are capable of two-way (transmit and receive) communications within the network.

With regards to dependent claims 2 and 9, Shima-894 doesn't explicitly disclose a mechanism for updating the resources (*location data*) stored in location data storage, however it would be inherent to anyone of ordinary skill in the art that there would be such a mechanism in place, as the data in most databases is not constant. There is always at least one mechanism for adding and deleting information within the database.

With regards to dependent claims 3 and 10, Shima-894 discloses a URL storage subsection within the network printer for storing a URL specified by the host computer (column 6, lines 10-11; 20 in Fig1). Based on the established meaning of an URL, the scope of this subsection is identical to the scope of the current invention designating system to designate one of a plurality of locations, which are indicated by the location data, corresponding to the print data to be printed.

With regards to dependent claims 4 and 11, Shima-894 discloses a process to determine whether the data received by the printer is printable or unprintable data. Shima-894 uses a format management table to determine whether the format of specific data is receivable (print data) or un-receivable (unprintable data) (column 6, lines 11-18; Fig 2). Even though Shima-894 doesn't explicitly state that both printable and

Application/Control Number: 10/643,220 Page 5

Art Unit: 2176

unprintable data are stored on the server, and that the location data generating system generates a location for both, and transmits them, this is nevertheless implied, because in order for the printer to distinguish printable data from unprintable data, the server must be capable of transmitting both printable data and unprintable data to the printer.

Shima-894 also discloses a URL storage subsection within the network printer for storing a URL specified by the host computer (column 6, lines 10-11; 20 in Fig1). Based on the established meaning of a URL, the scope of this subsection is identical to the scope of the current invention designating system to designate one of a plurality of locations, which are indicated by the location data, corresponding to the print data to be printed.

Application/Control Number: 10/643,220 Page 6

Art Unit: 2176

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 5-7, 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shima (US 6,362,894 B1; Date of Patent: Mar. 26, 2002; Effective Filing date Nov. 25, 1998) ('Shima-894') in view of Shima (US 6,867,874 B1; Date of Patent: Mar. 15, 2005; Effective Filing date Nov. 16, 1999) ('Shima-874').

With regards to dependent claims 5 and 12, Shima-894 discloses a process to determine whether the data received by the printer is printable or unprintable data. Shima-894 uses a format management table to determine whether the format of specific data is receivable (print data) or un-receivable (unprintable data) (column 6, lines 11-18; Fig 2). Even though Shima-894 doesn't explicitly state that both printable and unprintable data are stored on the server, and that the location data generating system generates a location for both, and transmits them, this is nevertheless implied, because in order for the printer to distinguish printable data from unprintable data, the server must be capable of transmitting both printable data and unprintable data to the printer.

Shima-894 also discloses a URL storage subsection within the network printer for storing a URL specified by the host computer (column 6, lines 10-11; 20 in Fig1). Based

Application/Control Number: 10/643,220

Art Unit: 2176

on the obvious meaning of an URL, the scope of this subsection is identical to the scope of the current invention designating system to designate one of a plurality of locations, which are indicated by the location data, corresponding to the print data to be printed.

Even though it is inherent that the designating system would have means for extracting location data of the print data from location data received, Shima-894 does not disclose expressly that the designating system includes an extracting system that extracts the location data of the print data from the location data received by the location data receiving system.

However, Shima-874 discloses the printer analyzes the text of the resources received from the server, *extracts* the URL (*location data*) of the structural data and sends a transfer request of the structural data in accordance with the URL (column 3, lines 16-19).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to provide a mechanism for extracting the URL from the location data, providing the benefit of determining the location of the print data.

With regards to dependent claims 6 and 13, as with the current invention, Shima-894 discloses a process to determine whether the data received by the printer is printable or unprintable data. Shima-894 uses a format management table to determine whether the format of specific data is receivable (print data) or unreceivable (unprintable data) (column 6, lines 11-18; Fig 2). Even though Shima-894 doesn't explicitly state that both printable and unprintable data are stored on the server,

Application/Control Number: 10/643,220

Art Unit: 2176

and that the location data generating system generates a location for both, and transmits them, this is nevertheless implied, because in order for the printer to distinguish printable data from unprintable data, the server must be capable of transmitting both printable data and unprintable data to the printer.

Shima-894 does not disclose expressly that said transmitting system selectively transmits only the location data of the print data. However he does disclose that in one embodiment of his invention, only preset information of specified information resources is received and printed (column 7, lines 34-35). Using the broadest interpretation of this statement, the examiner presume that if one were to preset specific information about the resources that were to be received, then only those selective resources would be transmitted based on the preset information. Therefore, the examiner concludes that this preset information could include only transmitting the location data of the print data, as oppose to transmitting both print data and unprintable data.

Therefore it would have been obvious to combine Shima-874 with Shima-894 for the benefit of being able to selectively determine the specific type of data that the server is to transmit.

With regards to dependent claims 7 and 14, as with the current invention, Shima-894 discloses a process to determine whether the data received by the printer is printable or unprintable data. Shima-894 uses a format management table to determine whether the format of specific data is receivable (print data) or unreceivable (unprintable data) (column 6, lines 11-18; Fig 2). Even though Shima-894

Page 9

Art Unit: 2176

doesn't explicitly state that both printable and unprintable data are stored on the server, and that the location data generating system generates a location for both, and transmits them, this is nevertheless implied, because in order for the printer to distinguish printable data from unprintable data, the server must be capable of transmitting both printable data and unprintable data to the printer.

Shima-894 does not disclose expressly that said transmitting system includes an extracting system that extracts the location data of the print data from the location data stored in said location data storage, said transmitting system transmitting the location data extracted by said extracting system.

However, Shima-874 discloses that the web server transmits resources requested by the printer based on the printer's request message in accordance with an URL (column 4, lines 34-39). Therefore, the examiner concludes that if the printer has a mechanism for extracting the URL (*location data*) from the resources transmitted by the server, and a mechanism for including an URL (*location data*) in it's request for resources to the server, then inherently the transmitting system on the server would have a mechanism for *extracting* the URL (*location data*) of the print data in storage, so it can be included in the response message to the printer.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to provide a mechanism for *extracting* the URL *(location data)* of the print data in the data storage in order to include it in the resource information that is transmitted to the printer in response to the printer's request of the specified resources.

Application/Control Number: 10/643,220

Art Unit: 2176

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to James J. Debrow whose telephone number is 571-272-

5768. The examiner can normally be reached on 8:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Heather Herndon can be reached on 571-272-4136. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

James J. Debrow

Examiner

Art Unit 2176

WILLIAM BASHORE PRIMARY EXAMINER

Page 10

10/27/2005